Serial No.: 10/675,517 Filed: September 30, 2003

Page 2

## In the Claims:

The listing of claims will replace all prior versions, and listings, of claims in the application.

## **Listing of Claims:**

1. (Currently amended) A method of outputting an alert that an unauthorized event has occurred, the method comprising:

obtaining a status from a sensor;

retrieving personnel information comprising identity and status information for the personnel from a database, the personnel information relating to the sensor;

generating the alert;

applying a filter to determine whether to modify a severity of the alert; and

re-evaluating the severity of the alert to generate a modified alert severity  $S_{mod}$  when it is determined to modify the severity of the alert; and

outputting the alert;

wherein  $S_{mod} = S_0 + (G * N_{same}) + (H * N_{adjacent}) - (I * (1 - C(t));$ 

S<sub>0</sub> is a preset severity associated with the alert;

G, H, and I are preset constants;

N<sub>same</sub> is a number of alerts in an access zone within a preset time window;

 $N_{adjacent}$  is a number of alerts in access zones adjacent to the access zone within the preset time window; and

C(t) is a certainty associated with the alert at a time t.

wherein the status information comprises job category and authorized access zone information.

2. (Original) The method of claim 1, further comprising retrieving information relating to a prior event from the database.

In re: Jeffrey A. Aaron et al. Serial No.: 10/675,517

Filed: September 30, 2003

Page 3

3. (Original) The method of claim 1, further comprising accumulating the alert.

4. (Canceled)

5. (Original) The method of claim 1, further comprising re-evaluating an uncertainty of the alert.

6. (Original) The method of claim 1, further comprising applying a filter to determine whether to limit outputting of the alert.

- 7. (Original) The method of claim 1, further comprising outputting a recommendation relating to the alert.
- 8. (Original) The method of claim 1, wherein obtaining a status from a sensor includes obtaining a status from one of an infrared sensor, a physical sensor, a motion detection sensor, a wireless sensor, an audio pattern recognition device, a video pattern recognition device, a card reader, a biometric sensor, a software monitoring device, a trip wire, an electric eye, a pressure sensor, an access panel switch, a door switch, a microwave sensor, and a System Network Management Protocol (SNMP) trap/event message.
- 9. (Original) The method of claim 1, wherein outputting the alert includes outputting one of a telephone message, an electronic message, a pager message, a visual indication, and an auditory indication.
- 10. (Currently amended) A system for outputting an alert, the system comprising: a sensor interface;
  - a database; and

an alert processor in communication with the sensor interface and the database, wherein the alert processor is configured to retrieve personnel information from the database,

Serial No.: 10/675,517 Filed: September 30, 2003

Page 4

generate the alert, apply a filter to determine whether to modify a severity of the alert, and output the alert;

wherein the alert processor includes an alert uncertainty and severity estimation module the alert processor being configured to re-evaluate the severity of the alert to generate a modified alert severity  $S_{mod}$  when it is determined to modify the severity of the alert;

wherein the personnel information comprises identity and status information for the personnel and is related to the sensor; and

wherein  $S_{\text{mod}} = S_0 + (G * N_{\text{same}}) + (H * N_{\text{adjacent}}) - (I * (1 - C(t));$ 

 $S_0$  is a preset severity associated with the alert;

G, H, and I are preset constants;

N<sub>same</sub> is a number of alerts in an access zone within a preset time window;

 $N_{adjacent}$  is a number of alerts in access zones adjacent to the access zone within the preset time window; and

C(t) is a certainty associated with the alert at a time t.

wherein the status information comprises job category and authorized access zone information.

- 11. (Original) The system of claim 10, wherein the alert processor includes an alert generation module.
- 12. (Original) The system of claim 10, wherein the alert processor includes an input module.
- 13. (Original) The system of claim 10, wherein the alert processor includes a filter module.
- 14. (Canceled)

Serial No.: 10/675,517 Filed: September 30, 2003

Page 5

- 15. (Original) The system of claim 10, wherein the alert processor includes a rule and algorithm update module.
- 16. (Original) The system of claim 10, wherein the alert processor includes a filter/mode selection module.
- 17. (Original) The system of claim 10, wherein the alert processor includes an alert output module.
- 18. (Currently amended) A computer readable medium having stored thereon instructions which, when executed, cause a processor to:

obtain a status from a sensor;

retrieve personnel information comprising identity and status information for the personnel from a database, the personnel information relating to the sensor;

generate an alert;

apply a filter to determine whether to modify a severity of the alert; and

 $\underline{\text{re-evaluate the severity of the alert to generate a modified alert severity}} \, S_{mod} \, \underline{\text{when it is}}$  determined to modify the severity of the alert; and

output the alert;

wherein  $S_{\text{mod}} = S_0 + (G * N_{\text{same}}) + (H * N_{\text{adjacent}}) - (I * (1 - C(t));$ 

 $S_0$  is a preset severity associated with the alert;

G, H, and I are preset constants;

N<sub>same</sub> is a number of alerts in an access zone within a preset time window;

Nadjacent is a number of alerts in access zones adjacent to the access zone within the preset time window; and

C(t) is a certainty associated with the alert at a time t.

wherein the status information comprises job category and authorized access zone information.

Serial No.: 10/675,517 Filed: September 30, 2003

Page 6

19. (Original) The computer readable medium of claim 18, having stored thereon additional instructions that cause the processor to obtain a status from one of an infrared sensor, a physical sensor, a motion detection sensor, a wireless sensor, an audio pattern recognition device, a trip wire, an electronic eye, a pressure sensor, an access panel switch, a door switch, a microwave sensor, and a System Network Management Protocol (SNMP) trap source/event message.

20. (Original) The computer readable medium of claim 18, having stored thereon additional instructions that cause the processor to output one of a telephone message, an electronic message, a pager message, a visual indication, and an auditory indication.